


NEW!



***Interior* HITW High Output Series**

MODEL	Drawing	WATTS	LUMENS
29W1-HITW-4X9-HO	A	9	595
311W1-HITW-6X13-HO	D	11	795
413W1-HITW-6X13-HO	D	13	904
311W1-HITW-36X13-HO	G	11	795
413W1-HITW-36X13-HO	G	13	904
311W1-HITW-32X16G-HO	H	11	795
413W1-HITW-32X16G-HO	H	13	904
29W1-HITW-8X8-HO	B	9	595
29W1-HITW-12X8R-HO	C	9	595
311W1-HITW-18X13-HO	E	11	795
413W1-HITW-18X13-HO	E	13	904
311W1-HITW-18X18-HO	F	11	795
413W1-HITW-18X18-HO	F	13	904





Fixture + Installation = Light niche



A





B





C





D





E





F



G



H



AVAILABLE OPTIONS:

DRIVER	ADD TO MODEL NUMBER
EldoLed 0-10v 120-277v	standard
Lutron 3-wire L3D Ecosystem 120-277v	-DM6
ERP Triac/ELV/0-10v Multi-dim 120-277v	-DM7
Lutron Digital LDE 1% soft on and fade to black (120-277v)	-DM8
Lower Lumen Output (consult factory first)	-LL

0-10 VOLT PROGRAMMABLE OPTIONS	ADD TO MODEL NUMBER
End of Life Indicator	-EOL
Soft Start	-SFT
Dim to Off	-DTO

LED (MUST SPECIFY)	ADD TO MODEL NUMBER
2700K	-27K
3000K	-30K
3500K	-35K
4000K	-40K
5000K	-50K
90 CRI ANY COLOR	-90 CRI



5 YEAR WARRANTY
ON DRIVER

eldoLED®

5 YEAR WARRANTY
ON DRIVERS AND
LED

NOTE: Please do not specify or try to install this product without clear understanding of the installation instructions.